



BS EN 14351-1:2006+A1:2010

**WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

DECLARATION OF PERFORMANCE

THIS IS TO CERTIFY THAT

DIRECT TRADE (YORKSHIRE) LTD

of

UNIT 3 SANDALL CARR INDUSTRIAL ESTATE

SANDALL CARR ROAD

DONCASTER

DN3 1QL

HAVE CONFORMED WITH EN 14351-1:A1:2010 ANNEX ZA

FOR

ALUK (GB) Ltd & SYNSEAL WARMCORE

DOORS INTENDED TO BE USED IN DOMESTIC AND COMMERCIAL LOCATIONS

**INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION
CONTROL COMPLYING WITH EN 14351-1:A1:2010 ANNEX ZA**

**PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND
PERFORMANCE INDICATION PAPERS FOR ALL COMPONENTS**

INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS

DANGEROUS SUBSTANCES - Clause 4.6

THE LOAD BEARING CAPACITY OF SAFETY DEVICES -Clause 4.8

ABILITY TO RELEASE - Clause 4.10

THERMAL CHARACTERISTICS - Clause 4.12

Signed:..........

Date:.....03/08/2016.....

Position:.....Technical Manager.....



DIRECT TRADE (YORKSHIRE) LTD

UNIT 3 SANDALL CARR INDUSTRIAL ESTATE

SANDALL CARR ROAD

DONCASTER

DN3 1QL

13

EN 14351-1:A1:2010

WINDOWS AND EXTERNAL PEDESTRIAN DOORSETS WITHOUT
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

System: ALUK (GB) Ltd & Smarts Aluminium Systems

FRAMES SUPPLIED GLAZED

<u>Characteristics</u>	<u>Declared Value</u>
Dangerous Substances	None
Thermal Transmittance	$\leq 4.1W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	npd
Resistance to snow and permanent load	npd
Reaction to fire	npd
External Fire Performance	npd
Water tightness	npd
Impact Resistance	npd
Radiation Properties	npd
Acoustic Performance	npd
Air Permeability	npd

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed:..........

Date:.....03/08/2016

Position:.....Technical Manager