



**BS EN 14351-1:2006+A2:2016  
EXTERNAL PEDESTRIAN DOORSETS WITHOUT  
RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS**

**DECLARATION OF PERFORMANCE**

**THIS IS TO CERTIFY THAT**

**DIRECT TRADE (YORKSHIRE) LTD**

**UNIT 3, SANDALL CARR INDUSTRIAL ESTATE, SANDALL CARR ROAD, DONCASTER, DN3 1QL**



**HAVE CONFORMED WITH EN 14351-1:2006 + A2:2016 ANNEX ZA**

**AVCP LEVEL 3 ALL PRODUCTS  
AVCP LEVEL 1 DOORS FITTED WITH EXIT DEVICES**

**FOR**

**VEKA/WHS HALO UPVC WINDOWS & EXTERNAL DOORSETS  
ALUK ALUMINIUM WINDOW AND DOORSETS**

**WINDOWS & DOORS INTENDED TO BE USED IN DOMESTIC AND COMMERCIAL LOCATIONS COVERING  
PRODUCTS DESIGNED FOR USE IN OR NOT ON ESCAPE ROUTES**

**INSTIGATING AND IMPLEMENTING A SYSTEM OF FACTORY PRODUCTION  
CONTROL COMPLYING WITH EN 14351-1:2006 + A2:2016 ANNEX ZA**

**PRODUCING A TECHNICAL FILE CONTAINING THE TEST REPORT AND  
PERFORMANCE INDICATION PAPERS FOR ALL COMPONENTS**

**INCLUDING THE FOLLOWING MANDATORY REQUIREMENTS**

**DANGEROUS SUBSTANCES - Clause 4.6**

**LOAD BEARING CAPACITY OF SAFETY DEVICES - Clause 4.8**

**THE ABILITY TO RELEASE - Clause 4.10**

**THERMAL CHARACTERISTICS - Clause 4.12**

Signed: 

Position: Technical Manager

Date: 21/04/2021



# DIRECT TRADE (YORKSHIRE) LTD

UNIT 3, J3 BUSINESS PARK, BALBY CARR BANK, DONCASTER, DN4 8DE

13

EN 14351-1:2006 + A2:2016

## AVCP LEVEL 3 ALL PRODUCTS AVCP LEVEL 1 DOORS FITTED WITH EXIT DEVICES

EXTERNAL PEDESTRIAN DOORSETS WITHOUT RESISTANCE TO FIRE AND/OR SMOKE LEAKAGE CHARACTERISTICS

VEKA/WHS HALO UPVC WINDOWS & EXTERNAL DOORSETS  
ALUK ALUMINIUM WINDOW AND DOORSETS

<u>Characteristics</u>	<u>Declared Value</u>
Dangerous Substances	None
Thermal Transmittance	PVC Frames $\leq 3.4W/(m^2K)$ Aluminium Frames $\leq 4.1W/(m^2K)$
Load Bearing Capacity of Safety Devices	Passed
Resistance to Wind Load	NPD
Resistance to snow and permanent load	NPD
Reaction to fire	NPD
External Fire Performance	NPD
Water tightness	NPD
Impact Resistance	NPD
Radiation Properties	NPD
Acoustic Performance	NPD
Air Permeability	NPD
The Ability to Release	
Fuhr 870 Type 8 & 881 Type 8 Series conforming with EN 1125: 2008	EC Declaration of Conformity issued by PIV Prufinstitut und Beschlage Velbert (EC Ref 1309) For single door - Certificate of Conformity 1309-CPD-0155, dated 14/10/2011 Classification 3,7,6, B,1,3,2, 1/2, A/B, B; for double doors - Certificate of Conformity 1309-CPD-0178, dated 26/03/2012 Classification 3,7,6,0,1,3,2, 1/2, A/B, A.
Fuhr 870 Type 8 & 881 Type 8 Series conforming with EN 179: 2008	EC Declaration of Conformity issued by PIV Prufinstitut und Beschlage Velbert (EC Ref 1309) For single door - Certificate of Conformity 1309-CPD-0172, dated 14/02/2012 Classification 3,7,6, B,1,3,2, 1/2, A/B, A; for double doors - Certificate of Conformity 1309-CPD-0183, dated 27/03/2012 Classification 3,7,6,0,1,3,2, 1/2, A, A
Fuhr 870 Type 3 & 881 Type 3 Series conforming with EN 179: 2008	EC Declaration of Conformity issued by PIV Prufinstitut und Beschlage Velbert (EC Ref 1309) For single door - Certificate of Conformity 1309-CPD-0170, dated 14/02/2012 Classification 3,7,6, B,1,3,4, 1/2, A/B, B/D
Strand Antipanic PH355 & PH 357 Series conforming with EN 1125: 2008	EC Declaration of Performance SHW001 dated 28/02/2013 EC Declaration of Conformity 151—CPD-2008 issued by ICIM Test report 11100601GC dated 19/10/2011 issued by ICIM (0425) Classification 3,7,7, B,1,4,2,2, A, A.
Strand Antipanic PH356 & PH 358 Series conforming with EN 179: 2008	EC Declaration of Performance SHW002 dated 28/02/2013 Test report 11111101SG dated 22/11/2011 issued by ICIM (0425). Classification 3,7,7, B,1,4,4,2, B, A. Note: we understand that the Strand Antipanic devices will also be sold under the Briton brand.

This declaration relates to a worst case scenario and as such all our products will give an equal to or better (lower) than performance to that quoted

Signed: 

Date: 21/04/2021

Position: Technical Manager