



STELLAR Flush Door

Quote Order Date: _____

Job Reference/Number: _____

Collection: Delivery: Date Required: _____

Company Name: _____

Delivery Address: _____

Address: _____

Postcode: _____

Postcode: _____ Tel: _____ Fax: _____

Sign: _____ Print: _____ Order Taken By: _____

STANDARD SINGLE COLOUR OPTIONS: RAL 9003 White Matt RAL 7016 Anthracite Grey Matt RAL 9005 Black Matt

STANDARD DUAL COLOUR OPTIONS: RAL 7016 Anthracite Grey Matt (Ext) / Ral 9003 White Matt (Int)
RAL 9005 Black Matt (Ext) / Ral 9003 White Matt (Int)

Ral Outside: _____ / Colour: _____ Ral Inside: _____ / Colour: _____

Marine Guarantee * For Marine environment applications, please refer to disclaimer at the foot of the page. This will incur an additional colour set-up cost and extended lead times

WQ02 54mm Outerframe | WQ40/41 79.5mm Sash

Qty:	Width:	Height:	Qty:	Width:	Height:	Qty:	Width:	Height:
Midrail Height	850 STD Exc Cill		Midrail Height	850 STD Exc Cill		Midrail Height	850 STD Exc Cill	
Midrail Size	130mm STD	72mm <input type="checkbox"/> 54mm <input type="checkbox"/>	Midrail Size	130mm STD	72mm <input type="checkbox"/> 54mm <input type="checkbox"/>	Midrail Size	130mm STD	72mm <input type="checkbox"/> 54mm <input type="checkbox"/>
Comments / Extras			Comments / Extras			Comments / Extras		
Glass - Black Spacer as Standard, Please Indicate otherwise			Glass - Black Spacer as Standard, Please Indicate otherwise			Glass - Black Spacer as Standard, Please Indicate otherwise		
Standard	Optional		Standard	Optional		Standard	Optional	
Opening	Inward	Outward	Opening	Inward	Outward	Opening	Inward	Outward
F.Dr Master	Left	Right	F.Dr Master	Left	Right	F.Dr Master	Left	Right
Bead Square 28mm	32mm	36mm	Bead Square 28mm	32mm	36mm	Bead Square 28mm	32mm	36mm
	44mm			44mm			44mm	
150mm Cill	70mm	100mm	150mm Cill	70mm	100mm	150mm Cill	70mm	100mm
	200mm	None		200mm	None		200mm	None
Cill Size (To Size as Standard)	Other:		Cill Size (To Size as Standard)	Other:		Cill Size (To Size as Standard)	Other:	
Drainage Concealed	Face	None	Drainage Concealed	Face	None	Drainage Concealed	Face	None
Glass Clear	Obscure	Unglazed	Glass Clear	Obscure	Unglazed	Glass Clear	Obscure	Unglazed
Pattern Type			Pattern Type			Pattern Type		
Toughened			Toughened			Toughened		
Soft Coat	Pilks K	No Low E	Soft Coat	Pilks K	No Low E	Soft Coat	Pilks K	No Low E
Georgian Bar	18mm 25mm	Astragal Bar	Georgian Bar	18mm 25mm	Astragal Bar	Georgian Bar	18mm 25mm	Astragal Bar
Thresh As Outer	15mm Low Threshold		Thresh As Outer	15mm Low Threshold		Thresh As Outer	15mm Low Threshold	
Add ons Inc	18mm	36mm	Add ons Inc	18mm	36mm	Add ons Inc	18mm	36mm
Top			Top			Top		
Bottom			Bottom			Bottom		
Left			Left			Left		
Right			Right			Right		
Trickle vents (Head of Frame)	Yes / Qty:		Trickle vents (Head of Frame)	Yes / Qty:		Trickle vents (Head of Frame)	Yes / Qty:	
Handle Colour	Black	Gold	Handle Colour	Black	Gold	Handle Colour	Black	Gold
White	Chrome	Satin Silver	White	Chrome	Satin Silver	White	Chrome	Satin Silver
Hinges	White	Chrome	Hinges	White	Chrome	Hinges	White	Chrome
Black			Black			Black		
Cylinder STD	Anti Bump/Snap	Thumbturn	Cylinder STD	Anti Bump/Snap	Thumbturn	Cylinder STD	Anti Bump/Snap	Thumbturn
Letterplate	Black	Gold	Letterplate	Black	Gold	Letterplate	Black	Gold
White	Chrome	Satin Silver	White	Chrome	Satin Silver	White	Chrome	Satin Silver

FRAMES WILL BE MANUFACTURED TO STANDARD SPECIFICATION UNLESS OTHERWISE INDICATED

Please Note: We cannot guarantee any product installed within 50 metres of the coast, source of pollution or 2 metres from a swimming pool against deterioration of profile or hardware. Any product fitted within 5000 metres of a hostile environment a recommended cleaning regime must be adhered to and recorded (please consult product guide) - Additional costs may be incurred, please advise on the environment if appropriate.

All frames are non-load bearing.

No Wind Load Calculations will be made unless specified.

